
bp



TXD000751172

BP Chemicals, Inc. 13050 State Highway 185 P.O. Box 659 Port Lavaca, TX 77979 USA

Switchboard 361 552 7543 Central Fax 361 552 8647

TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

(MC-129)

Registration and Reporting Division

Attn: Ellette Vinyard P. O. Box 13087 Austin, TX 78711-3087

February 15, 2001

Direct 361 552 7543

Re: Notice of Registration Amendment for Aceto Stripper: 32164

Dear Ms. Vinyard:

Please place NOR management waste unit 010 (Aceto stripper – distillation unit separates water and aceto) to the inactive list. Since this constitutes a removal we are unable to transmit this change electronically. Thank you in advance for your help!

Please contact Wayne LaCroix 361/552-8660 if there are questions concerning this matter.

Sincerely,

Wayne E. LaCroix Environ. Coordinator

H:\LACROIX\DATA\WP\ Enviro | WATER Report TPDES amended

Enclosure

2016 Et

From:

Richard Carmichael

To:

Granja, Elizabeth

Date:

Wed, Feb 28, 2001 11:54 AM

Subject:

BP Chemicals - IHW Doc# 4367-2

Elizabeth

I was asked to respond to your request regarding BP Chemical's request to move an Aceto Stripper: 32164, NOR management waste unit 010 to the inactive list. The above referenced unit is not a listed unit in BP's HW permit #50121-000.

So as far as IHW is concerned BP may inactivate the Aceto Stripper.

Thank you for coordinating. Richard

CC:

Martins, Judy; Prater, Faye

Waiting on Permits 2-26-01 Robert J. Huston, *Chairman*R. B. "Ralph" Marquez, *Commissioner*Kathleen Hartnett White, *Commissioner*Jeffrey A. Saitas, *Executive Director*



TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

Protecting Texas by Reducing and Preventing Pollution

May 31, 2002

Mr. Jerome P. Houren
Manager, HSE - Financial & Performance Improvement
BP Amoco Corporation
Mail Code 7081A
801 Warrenville Road
Lisle, IL 60532-3819

Re: Notice of Deficiency for:

BP Products North America Inc

(SWR No. 30139, SWR No. 34507 and WDW No.s 80, 127, 128, 214 and 215)

BP Amoco Chemical Company

(SWR No. 30042) BP Chemicals, Inc.

(SWR No. 32164 and WDW No.s 163, 164 and 165)

Dear Mr. Houren:

Although the Texas Natural Resource Conservation Commission (TNRCC) has received the financial assurance mechanisms used to demonstrate your company's 2002 RCRA waste responsibilities, a formal acceptance cannot be made at this time due to one or more of the following:

The financial assurance mechanism used for closure, post closure or corrective action does not contain the exact language as set out in Title 30, Texas Administrative Code, Chapter 37.

Other Matters - As was discussed by phone with Michelle Bien pertaining to closure cost estimates.

Please arrange to have the corrections referenced above and as discussed by phone to our office no later than <u>June 30, 2002</u>. Failure to provide corrections to these documents or submit another acceptable financial assurance mechanism by the prescribed date will result in a Notice of Violation and may become part or your compliance history.

Should you have any questions or need additional assistance, I can be reached at 512/239-6150.

Sincerely,

Mark Stoebner Program Specialist

Financial Assurance Section MC-184

Robert J. Huston, *Chairman*R. B. "Ralph" Marquez, *Commissioner*John M. Baker, *Commissioner*Jeffrey A. Saitas, *Executive Director*



TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

Protecting Texas by Reducing and Preventing Pollution September 7, 2001

Mr. Jerome P. Houren
Manager, HSE - Financial & Performance Improvement
BP Amoco Corporation
Mail Code 7081A
801 Warrenville Road
Lisle, IL 60532-3819

Re:

Amoco Oil Company SWR No. 30139, SWR No. 34507 and WDW No.s 80, 127, 128, 214 and 215

BP Amoco Chemical Company SWR No. 30042

BP Chemicals, Inc. SWR No. 32164 and WDW No.s 163, 164 and 165

Financial Assurance Acceptance

Dear Mr. Houren:

The Commission has reviewed and accepts the financial assurance documents submitted that demonstrate your company's RCRA hazardous waste responsibilities for calendar year 2001. This letter of acceptance is contingent upon the modification of Permit No. HW-50183 (SWR No. 34507 / EPA ID No. TXD072181381-01) by the next anniversary review date to reflect Amoco Oil Company and not the assumed name of Amoco Petroleum Products.

We conduct ongoing monitoring of the financial status of facilities and may request additional information periodically. Discrepancies or status changes in financial assurance discovered during routine record review, permit processing or facility inspections may necessitate further action on your part to maintain compliance. Additionally, please submit in writing any future revisions or adjustments to financial assurance made by the company to this section.

Should you have any questions or need additional assistance I can be reached at 512/239-6150.

Sincerely,

Mark Stoebner Program Specialist

Financial Assurance Section, MC-184

cc: Central Records

Robert J. Huston. Chairman R. B. "Ralph" Marquez, Commissioner Kathleen Hartnett White, Commissioner Jeffrey A. Saitas, Executive Director



TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

Protecting Texas by Reducing and Preventing Pollution

July 29, 2002

Mr. Jerome P. Houren
Manager, HSE - Financial & Performance Improvement
BP Amoco Corporation
Mail Code 7081A
801 Warrenville Road
Lisle, IL 60532-3819

Re: Financial Assurance Acceptance for:

BP Products North America, Inc.

(SWR No. 30139, SWR No. 34507 and WDW No.s 80, 127, 128, 214 and 215)

BP Amoco Chemical Company

(SWR No. 30042) BP Chemicals, Inc.

(SWR No. 32164 and WDW No.s 163, 164 and 165)

Dear Mr. Houren:

The Texas Natural Resource Conservation Commission (TNRCC) has reviewed and accepts the financial assurance documents submitted that demonstrate your company's RCRA and UIC waste responsibilities for calendar year 2002 with respect to closure, post-closure and third party liability coverage. Please be advised that this acceptance letter is contingent upon UIC permit Nos. WDW 80, 127, 128, 214 and 215 being modified to reflect the correct permittee name of "BP Products North America, Inc." by the next anniversary review date of March 30, 2003.

As a reminder, your next inflation adjustment to your closure cost estimate as well as the third party liability coverage demonstration is due by <u>March 30, 2003</u>. Please arrange to have acceptable financial assurance mechanisms demonstrating these coverages to our office no later than the respective date noted above.

We conduct ongoing monitoring of the financial status of facilities and may request additional information periodically. Discrepancies or status changes in financial assurance discovered during routine record review, permit processing or facility inspections may necessitate further action on your part to maintain compliance. Additionally, please submit in writing any future revisions or adjustments to financial assurance made by the company to this section.

Should you have any questions or need additional assistance, I can be reached at 512/239-6150.

Sincerely,

Mark Stoebner Program Specialist

Financial Assurance Section, MC-184

cc: Central Records

bp ()3



BP Chemicals Inc. 13050 State Highway 185 PO Box 659 Port Lavaca, TX 77979 USA

Texas Commission on Environmental Quality Registration and Reporting Division (MC-129) P.O. Box 13087 Austin, TX 78711-3087

November 25, 2002

RE:

BP Chemicals

Green Lake NOR Update

NOR 32164

Dear Sir or Madam:

Please modify our Notice of Registration to reflect the following changes:

Unit Number 042 Container Store Area – change the unit status from active to inactive Unit Number 054 Container Store Area – change the unit status from active to inactive Unit Number 055 Container Store Area – change the unit status from active to inactive Unit Number 057 Container Store Area – change the unit status from active to inactive Unit Number 058 Container Store Area – change the unit status from active to inactive Unit Number 059 Container Store Area – change the unit status from active to inactive Unit Number 060 Container Store Area – change the unit status from active to inactive Unit Number 060 Boiler – change the unit status from active to closed.

If you should have any questions regarding this request, please feel free to contact me at (361) 552-8642.

Sincerely

Van A. Boone HSSEQ Manager

Texas Natural Resource Conservation Commission INTEROFFICE MEMORANDUM

To:

The File

Date: May 24, 2001

BP Chemicals/Green Lake Permit No. HW-50143 SWR No. 32164 Doc. #4113-3

Thru:

Richard Carmichael, PhD., P.E., CIH, Supervisor, Facility Team 3

From:

Alan Parolini L&HW Permits Section, Waste Permits Division

Subject:

Annual 2000 Site Activity Report

The above referenced annual report, dated January 25, 2001, was submitted by BP Chemicals Inc. in accordance with Provision III. B. of the permit.

The staff has completed a review of this report and concludes that BP Chemicals, Inc. has fulfilled the requirements of Provision III. B. of their permit regarding annual site activity reporting.

Robert J. Huston, *Chairman*R. B. "Ralph" Marquez, *Commissioner*John M. Baker, *Commissioner*Jeffrey A. Saitas, *Executive Director*



TEXAS NATURAL RESOURCE CONSERVATION COMMISSION

Protecting Texas by Reducing and Preventing Pollution

March 30, 2001

Mr. Patrick E. Gower Plant Manager BP Chemicals, Inc. P. O. Box 659 Port Lavaca, Texas 77979

7000 0520 0023 2380 7432
<u>CERTIFIED MAIL</u>
<u>RETURN RECEIPT REQUESTED</u>

Re:

BP Chemicals, Inc. - Green Lake (BP)

Industrial Solid Waste Registration No. 32164 Hazardous Waste Permit No. HW-50143

Closure Certification Report for AOG Boiler Nos. 1 and 2

Document No. 4218

Dear Mr. Gower:

The Texas Natural Resource Conservation Commission (TNRCC) has reviewed your Closure Certification Report dated February 1, 2001 addressing the closure of AOG Boilers Nos. 1 and 2 (NOR Unit No. 009).

Based on the information provided the TNRCC accepts that the closure of AOG Boiler Nos. 1 and 2 was completed in accordance with 40 CFR §265.110 through §265.115 and the risk reduction standards under 30 TAC §335 Subchapter S.

Please be aware that it is the continuing obligation of persons associated with a site to assure that municipal hazardous waste and industrial solid waste are managed in a manner which does not cause the discharge or imminent threat of discharge of waste into or adjacent to waters in the state, a nuisance, or the endangerment of the public health and welfare as required by 30 TAC §335.4. If the closure fails to comply with these requirements, the burden remains upon BP to take any necessary and authorized action to correct such conditions.

Should you have any questions, please contact Mr. Steve Akers of the I&HW Permits Section at 512/239-1141. If responding by mail please use mail code (MC-130) after the recipient's name.

Sincerely,

William J. Shafford, P.E.
Mr. William J. Shafford, P.E.

Combustion Team 1

Industrial and Hazardous Waste Permits Section

Waste Permits Division

WJS/SKA/fp

cc: Mr. Bill Gallagher, U.S. EPA Region VI (6PD-0)

Mr. Steve Akers, P.E., TNRCC Waste Permits Division, I&HW Permits Section

P.O. Box 13087 • Austin, Texas 78711-3087 • 512/239-1000 • Internet address: www.tnrcc.state.tx.us

bp

RECEIVED TNRCC IHW PERMITS

JAN 2 7 2003

WASTE PERMITS DIVISION



BP Chemicals Inc. 13050 State Highway 185 PO Box 659 Port Lavaca, TX 77979 USA

BP CHEMICALS GREEN LAKE

66103695

IHW 32164- Vol: 052

REPORT 2003 2002 ANNUAL SITE ACTIVITY

Industrial & Hazardous Waste Permits Section (MC-130)
Texas Commission on Environmental Quality
P. O. Box 13087
Austin, Texas 78711-3087
Ja

January 22, 2003

BP Chemicals Inc. HW-50143/SWR 32164 2002 Annual Site Activity Report

Dear Sir or Madame:

The 2002 Annual Site Activity Report for BP Chemicals Green Lake is enclosed. This report includes a Waste Minimization Summary and Certification along with a copy of the 2002 Annual Waste Summary. Please note that the original Annual Waste Summary has been submitted electronically to the TCEQ on January 16, 2003.

Please contact me at 361/552-8642 if you have any questions concerning this submittal.

Sincerely,

Van A. Boone HSSEQ Manager

H:\data\wp\ANRPT2002

cc: TCEQ Region 14

PECEIVED

2011 JAN 27 MI 10: 43

WASTE PERMITS DIV MC122

WWC# 10 22 01 00 DOC# 1910-3 DUE DATE 5-27-03

PM Haboue JACKSON

TEAM 01 22 03 DUIC DTAT

SUMMARY

This summary includes leachate volumes collected from the four landfill cells at TCEQ NOR unit 027 ("New Landfill") and the two leachate collections systems from unit 004 ("Old Landfill") where Cells 1-4 share one leachate collection sump and Cell 5 has an upper and a lower sump.

Cells 6, 7, 8, and 9 are the BP Chemicals numbers for Cells 01, 02, 03, and 04 of permitted Unit 027.

Cell 9 of Unit 027 was placed into service on September 1, 1993 and was the active cell in 2002.

Landfill # 1-4

Upper Gallons Removed

December 10, 2002

603.41

Total

603.41

en e	Upper Gallons Removed	Lower Gallons Removed
October 25, 2002	109.70	W =
October 29, 2002	187.81	31.57
Total	297.51	31.57

and the second s	Upper Gallons Removed	Lower Gallons Removed
January 7, 2002	53	
January 21, 2002	71	
February 18, 2002	81	29
March 20, 2002	35	22
April 11, 2002	36	
October 29, 2002	178	55
October 31, 2002	71	55
November 4, 2002	91	64
November 5, 2002	220	64
November 6, 2002	62	45
November 18, 2002	71	
November 19, 2002	81	
November 20, 2002	132	
November 21, 2002	81	
November 27, 2002	28	45
December 10, 2002	62	45
December 11, 2002	71	55
December 12, 2002	44	36
December 16, 2002	91	64
December 23, 2002	62	102
Total Gallons	1621	681

	Upper Gallons Removed	Lower Gallons Removed
March 20, 2002	7	14
November 27, 2002	21	36
		- a - c - c
¥.7.1		FO.
Total	28	50

e e e e	Upper Gallons Removed	Lower Gallons Removed
		8 8 3
March 20, 2002	28	45
November 27, 2002	28	55
December 10, 2002		36
December 16, 2002	7	
Total Gallons	63	136

Landfill #9

	Upper Gallons Removed	Lower Gallons Removed
January 16, 2002	91	179
January 21, 2002	n 191 w	92
January 28, 2002	35	. 73
February 21, 2002	28	121
February 25, 2002	NUMER	55
February 28, 2002	14	36
March 18, 2002	. 44	45
March 20, 2002	10202	14
April 4, 2002	14	64 45
May 2, 2002		45
May 3, 2002	91	73
July 1, 2002 July 21, 2002	102	92
July 25, 2002	62	73
July 29, 2002	44	64
July 30, 2002	7	Ö
July 31, 2002	35	14
August 1, 2002	28	36
August 14, 2002	91	92
August 19, 2002	102	55
August 29, 2002	44	29
August 30, 2002	44	29
September 11, 2002	71	55
September 12, 2002	28	22
September 16, 2002	276	73
October 23, 2002	276	83
October 24, 2002	276	64
October 25, 2002	276	174
October 27, 2002	276	179
October 29, 2002	276	29
October 30, 2002	71	14
October 31, 2002 November 1, 2002	240 276	179
November 3, 2002	276	179
November 4, 2002	276	179
November 5, 2002	276	179
November 6, 2002	276	179
November 7, 2002	276	121
November 8, 2002	276	92
November 11, 2002	276	121
November 13, 2002	102	73
November 14, 2002	71	45
November 18, 2002	276	179
November 19, 2002		83
November 20, 2002	276	179
November 21, 2002	91	83
November 24, 2002	259	179
November 26, 2002	44	64
November 27, 2002	35	45
November 29, 2002	112	83
December 5, 2002	91	102
December 9, 2002	71	121
December 10, 2002	276	179
December 11, 2002	276	179
December 12, 2002	122	92
December 13, 2002	276	179
December 14, 2002	276	111 83
December 15, 2002	276 28	29
December 19, 2002 December 23, 2002		179
December 23, 2002		
Total Gallons	8384	5515

Provisions VI.G (1-6)

Ground Water Report

TABLE OF CONTENTS

- Data Sets for 2002 Sampling Events I.

 - TCEQ Unit 027 ("New Landfill")
 TCEQ Unit 004 ("Old Landfill")
- Graphs of Ground Water Parameters II.
 - New Landfill
 - Old Landfill
- Statistical Analyses of Detection Monitoring Parameters III.
 - New Landfill
 - Old Landfill
- Potentiometric Maps and Flow Calculations IV.
 - New Landfill
 - Old Landfill
- Priority Quantitation Limits Analytical Study Results ٧.

ATTACHMENT I

2002 Ground Water Sampling Data

The following abbreviations have been used in this report:

mean sea level msl acetonitrile ACN acrylonitrile AN total cyanide CN total organic carbon TOC As arsenic barium Ba cadmium Cd chlorides Cl iron Fe lead Pb manganese Mn mercury Hg selenium Se silver Ag sodium Na. sulfates SO4 chromium Cr upgradient UG

POC - point of compliance

SU - supplemental

BDL - below detection limit

TCEQ Unit 027

		15th Year 3rd Qtr	16th Year 1st Qtr.
Well No.	<u>Parameter</u>	May 8, 2002	<u>December 2, 2002</u>
U-1	Ground Water Elev.	6.72	7.2
(Upgradient)	(ft, msl)		050040040040
	Temperature (celcius)	25.8,25.9,25.9,25.9	25.0,24.8,24.8,24.9
E 10	2 2 2 14 24 ->	1607, 1605, 1612, 1610	1637, 1639, 1637, 1637
-	Specific Cond.(uS/cm)	1607, 1603, 1612, 1616	1037, 1037, 1037, 1037
***	Turbidity (NTU)	26.4,24.0,29.3,32.4	29.2,23.2,27.7,29.3
		lit.	
	TOC (ppm)	1.0,<1.0,<1.0,<1.0	<1.0,<1.0,<1.0,<1.0
		605600501504	(96 (99 (90 (01
	pH (s.u.)	6.95,6.99,7.01,7.04	6.86,6.88,6.89,6.91
	107 ()	<0.008,<0.008	<0.008,<0.008
	AN (ppm)	V0.008, V0.008	10.000, 0.000
	ACN (ACN)	<0.015,<0.015	<0.015,<0.015
	CN (ppm)	<0.02,<0.02	<0.02,<0.02
			40.005 40.005
	Cr (ppm)	<0.005,<0.005	<0.005,<0.005
3-1 4	As (seem)		<0.002
	As (ppm)		
	Ba (ppm)	15	0.12
	Cd (ppm)		<0.0005
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<0.003
	Pb (ppm)		<0.003
	Hg (ppm)		<0.0002
	ing (ppin)		
	Se (ppm)		< 0.003
	Ag (ppm)		<0.01
			390
	Cl (ppm)		, 390
	Mn (ppm)		<0.01
	ми (ррш)		
	Na (ppm)		270 -
	SO4 (ppm)		35
			0.01
E9	Fe (ppm)		0.01
	Phenolics (ppm)		<0.005

		15th Year 3rd Qtr	16th Year 1st Qtr.
	<u>Parameter</u>	May 8, 2002	December 2, 2002
Well No.	N. C. CONTRACTOR CONTR		
	Ground Water Elev.	10.02	10.62
U-2	(ft, msl)		
(Upgradient)	Temperature (celcius)	26.4,26.0,26.1,26.3	25.1,24.9,24.8,24.8
*	Specific Cond.(uS/cm)	3070, 3080, 3040, 3080	2055, 2057, 2052, 2054
	Turbidity (NTU)	11.12,9.64,8.77,9.25	38.3,41.7,41.3,41.6
	TOC (ppm)	<1.0,1.0,<1.0,<1.0	<1.0,<1.0,<1.0,<1.0
	pH (s.u.)	7.29,7.34,7.33,7.36	7.20,7.18,7.16,7.17
			10.000 40.000
	AN (ppm)	<0.008,<0.008	<0.008,<0.008
			<0.015 < 0.015
	ACN (ACN)	<0.015,<0.015	<0.015,<0.015
A A A E DE THE STATE	1 - 4 - 3 - 4 - 14 - 4	<0.02,<0.02	<0.02,<0.02
	CN (ppm)	<0.02, <0.02	10.02, 10.02
	0 ()	<0.005, <0.005	<0.005, <0.005
	Cr (ppm)	V0.005, V0.005	
	As (ppm)		<0.002
	As (ppin)		
	Ba (ppm)		0.109
	ри (руш)		
	Cd (ppm)		< 0.0005
	- dr/		
	Pb (ppm)		<.003
le le			
	Hg (ppm)		<.0002
+			
	Se (ppm)		<.003
	Ag (ppm)		<.01
fore, officer and	E 2 2 2 1	. N	200 8
Tall the state of	Cl (ppm)		525
			r0.01
	Mn (ppm)		<0.01
			202
	Na (ppm)		393
			45
	SO4 (ppm)		43
			<0.01
	Fe (ppm)		<0.01
			<.005
	Phenolics (ppm)		<.003

		15th Year 3rd Qtr	16th Year 1st Qtr.
	<u>Parameter</u>	May 8, 2002	<u>December 2, 2002</u>
Well No.			
	Ground Water Elev.	10.77	10.63
U-3	(ft, msl)		
(Upgradient)	Temperature (celcius)	26.1,26.1,26.0,26.0	24.9,24.8,24.7,24.7
	Specific Cond.(uS/cm)	2987, 2996, 3010, 3020	2628, 2622, 2620, 2617
			47.0 51.4 57.0 50.0
	Turbidity (NTU)	14.86,13.91,14.37,14.20	47.8, 51.4, 57.8, 59.0
	TOC (ppm)	1.2,1.4, 1.5, 1.4	<1.0,1.1, 1.1, 1.1
	pH (s.u.)	7.24,7.26,7.22,7.23	7.09,7.11,7.10,7.10
	pri (s.u.)	1.24,1.20,1.22,1.23	7.05,7.11,7.10,7.10
	AN (ppm)	<0.008,<0.008	<0.008,<0.008
	ACN (ACN)	<0.015,<0.015	<0.015,<0.015
	ACN (ACN)	<0.013,<0.013	V0.015, V0.015
	CN (ppm)	<0.02,<0.02	<0.02,<0.02
	Cr (ppm)*	<0.005,<0.005	<0.005,<0.005
			<0.002
	As (ppm)		V0.002
	Ba (ppm)		0.082
	Cd (ppm)		<0.0005
7			10.000
	Pb (ppm)		<0.003
	' Ha (nom)		<0.0002
	'Hg (ppm)		-0.0002
	Se (ppm)		<.003
The second of th	Ag (ppm)		<0.01
50 F W		80%	
	Cl (ppm)		915
	Mn (ppm)		<0.01
	wiii (ppin)		
	Na (ppm)		602
	SO4 (ppm)		47
	Fig. ()		<0.01
***	Fe (ppm)		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	Phenolics (ppm)		<0.005

		15th Year 3rd Qtr	16th Year 1st Qtr.
	<u>Parameter</u>	May 8, 2002	December 2, 2002
Well No.			
	Ground Water Elev.	26.52	27.39
DIUR	(ft, msl)		
(POC-	Temperature (celcius)	24.7,24.7,24.7,24.7	23.3,23.4,23.3,23.3
Supplemental)	7		3
	Specific Cond.(uS/cm)	2810, 2820, 2810, 2810	2410, 2412, 2410, 2410
	Turbidity (NTU)	5.25, 4.661, 4.81, 4.63	5.4, 4.8, 5.7, 6.0
	Turbidity (1410)	5.25, 4.601, 4.61, 1.65	
	TOC (ppm)	not required	not required
	pH (s.u.)	7.29 ,7.26,7.24,7.24	7.07,7.11,7.14,7.1
	pri (s.u.)	7,27,7,20,7,21,7,21	
	AN (ppm)	<0.008,<0.008	<0.008,<0.008
		40.015 40.015	<0.015,<0.015
	ACN (ACN)	<0.015,<0.015	<0.013,<0.013
	CN (ppm)	<0.02	<0.02
	- 4.		
	Cr (ppm)		
	As (ppm)		820 0
	Ba (ppm)		
	Cd (ppm)		
	Pb (ppm)		
	то (ррш)		
	Hg (ppm)		
	Se (ppm)		
	Ag (ppm)		
	1.5 (Pr)		N. U.
	Cl (ppm)	1	4
			-
	Mn (ppm)		
	Na (ppm)		
	SO4 (ppm)		
	Fo. (num)		
	Fe (ppm)		
	Phenolics (ppm)		

		15th Year 3rd Qtr	16th Year 1st Qtr.
	<u>Parameter</u>	May 8, 2002	December 2, 2002
Well No.			
	Ground Water Elev.	5.62	6.04
D-4	(ft, msl)		00 0 00 0 00 0 00 0
(POC)	Temperature (celcius)	25.7,25.7,25.6,25.6	23.8,23.8,23.8,23.8
7	Specific Cond.(uS/cm)	1126, 1128, 1131, 1134	1227, 1230, 1227, 1228
	Turbidity (NTU)	7.34, 7.84, 7.52, 7.51	7.40 6.80 6.90 6.50
	TOC (ppm)	<1.0,<1.0,<1.0,<1.0	<1.0,<1.0,<1.0,<1.0
5.	pH (s.u.)	6.68 ,6.74,6.67,6.69	6.68,6.68,6.68,6.69
	AN (ppm)	<0.008,<0.008	<0.008,<0.008
	ACN (ACN)	<0.015, <0.015	<0.015, <0.015
	CN (ppm)	<0.02, <0.02	<0.02, <0.02
	Cr (ppm)	<0.005,<0.005	<0.005,<0.005
	As (ppm)		0.008
	Ba (ppm)		0.063
	Cd (ppm)		<0.0005
	Pb (ppm)		<0.003
•	Hg (ppm)		<0.0002
	Se (ppm)		<0.003
	Ag (ppm)		<0.01
	Cl (ppm)		280
	Mn (ppm)		0.02
	Na (ppm)		169
	SO4 (ppm)		59
	Fe (ppm)		0.13
	Phenolics (ppm)		<0.005

		15th Year 3rd Qtr	16th Year 1st Qtr.
	Parameter	May 8, 2002	<u>December 2, 2002</u>
Well No.			
	Ground Water Elev.	5.45	5.89
D-5R	(ft, msl)		
(POC)	Temperature (celcius)	25.5,25.5,25.4,25.5	23.8,23.8,23.7,23.7
	Specific Cond.(uS/cm)	1645, 1658, 1661, 1665	1757, 1747, 1744, 1741
	Turbidity (NTU)	7.81, 8.42, 8.37, 7.94	57.0, 43.4, 40.4, 36.6
		<1.0,<1.0,<1.0,<1.0	<1.0,<1.0,<1.0,<1.0
	TOC (ppm)	1.0,~1.0,~1.0,~1.0	1.0, 1.0, 1.0, 1.0
	pH (s.u.)	6.98 ,7.00,6.99,7.02	7.00,7.02,6.97,6.99
***	AN (ppm)	<0.008, <0.008	<0.008, <0.008
	ACN (ACN)	<0.015, <0.015	<0.015, <0.015
			<0.02 <0.02
	CN (ppm)	<0.02, <0.02	<0.02, <0.02
	Cr (ppm)	<0.005,<0.005	<0.005,<0.005
FAC	Cr (ppin)	(0.005, 10.005	
40	As (ppm)		<0.002
	dr.y		
	Ba (ppm)		0.074
			5 31
	Cd (ppm)		<0.0005
18		10-10-1	<0.003
	Pb (ppm)		<0.003
) II- ()	_	<0.0002
	' Hg (ppm)		10.0002
	Se (ppm)		< 0.003
	Dr (Fr)		
	Ag (ppm)		<0.01
	Cl (ppm)		410
			0.15
	Mn (ppm)		0.15
			226
	Na (ppm)		220
	SO4 (ppm)		95
	воч (фин)		
	Fe (ppm)		0.27
	41,		
	Phenolics (ppm)		< 0.005

		15th Year 3rd Qtr	16th Year 1st Qtr.
	<u>Parameter</u>	May 8, 2002	<u>December 2, 2002</u>
Well No.			
	Ground Water Elev.	5.37	5.79
D-6	(ft, msl)		
(POC)	Temperature (celcius)	26.1,26.2,26.1,26.0	24.0, 24.0,23.9,23.9
	Specific Cond.(uS/cm)	1162, 1166, 1171, 1173	1268, 1267, 1264, 1264
	Turbidity (NTU)	7.54, 7.29, 7.22, 7.10	8.70, 7.70, 7.90, 7.70
	T00 ()	<1.0,<1.0,<1.0,<1.0	<1.0,<1.0,<1.0,<1.0
	TOC (ppm)	<1.0,<1.0,<1.0,<1.0	1.0, 1.0, 1.0, 1.0
	pH (s.u.)	6.71 ,6.64,6.61,6.58	6.67,6.70,6.70,6.68
	AN (ppm)	<0.008,<0.008	<0.008,<0.008
	ACN (ACN)	<0.015,<0.015	<0.015,<0.015
	CN (ppm)	<0.02, <0.02	<0.02, <0.02
	Cr (ppm)	<0.005,<0.005	<0.005,<0.005
- W	As (ppm)		<0.002
	Ba (ppm)		0.098
	Cd (ppm)		<0.0005
	Pb (ppm)	7 1 7 80	<0.002
	Hg (ppm)		<0.0002
	Se (ppm)		<0.002
	Ag (ppm)		<0.01
	Cl (ppm)		215
	Mn (ppm)		0.13
	Na (ppm)		165
	SO4 (ppm)		64
	Fe (ppm)		0.01
	Phenolics (ppm)		<0.005

		14th Year 1st Qtr	14th Year 3rd Qtr.
	<u>Parameter</u>	May 8, 2002	<u>December 2, 2002</u>
Well No.			
	Ground Water Elev.	5.33	5.75
D7U	(ft, msl)		
(POC)	Temperature (celcius)	25.5,25.5,25.4,25.4	23.9, 23.9,23.9,23.9
(100)	Temperature (contact)		
	Specific Cond.(uS/cm)	1214, 1215, 1213, 1215	1136, 1128, 1127, 1129
	Turbidity (NTU)	3.27, 3.62, 3.44, 3.33	12.4, 14.1, 13.7, 13.5
	220000)		
	TOC (ppm)	<1.0,<1.0,<1.0,<1.0	<1.0,<1.0,<1.0,<1.0
	тое фил	111, 111, 111,	
	pH (s.u.)	6.74 ,6.68,6.67,6.72	6.74,6.77,6.76,6.79
	pii (s.u.)	0,71,0.00,0.07,0.72	,,
	AN (ppm)	<0.008,<0.008	<0.008,<0.008
	Ar (ppin)	10.000, 10.000	
	ACN (ACN)	<0.015,<0.015	<0.015,<0.015
	ACN (ACN)	<0.015, <0.015	10.015, 10.015
	CN (nom)	<0.02,<0.02	<0.02,<0.02
	CN (ppm)	10.02,10.02	30.02, 30.02
	Cr (ppm)	<0.005,<0.005	<0.005,<0.005
	Cr (ppm)	<0.005, <0.005	40.005, 40.005
2.0	A- ()	<0.002	
	As (ppm)	V0.002	
	Do (mm)	0.14	
	Ba (ppm)	0.14	
August 1990 A Total Comment of the C	01 ()	<0.0005	
	Cd (ppm)	<0.0003	
	<u> </u>	<0.002	
	Pb (ppm)	<0.002	
		<0.0002	
	Hg (ppm)	<0.0002	
		<0.000	
	Se (ppm)	<0.002	1
		40.01	
	Ag (ppm)	<0.01	-
		200	
	Cl (ppm)	200	
<u> </u>			
	Mn (ppm)	<0.01	
			·
	Na (ppm)	174	
	SO4 (ppm)	29	
	Fe (ppm)	<0.01	
	Phenolics (ppm)	<0.005	

		14th Year 1st Qtr	14th Year 3rd Qtr.
	<u>Parameter</u>	May 8, 2002	<u>December 2, 2002</u>
Well No.			
	Ground Water Elev.	5.3	5.72
D7L	(ft, msl)		
(POC)	Temperature (celcius)	25.5,25.5,25.4,25.5	24.2, 24.1,24.0,24.0
			10 TO
	Specific Cond.(uS/cm)	1220, 1224, 1231, 1225	1217, 1215, 1215, 1214
		<u> </u>	
	Turbidity (NTU)	2.68, 3.11, 3.07, 2.75	15.9, 14.5, 14.1, 14.0
	TOC (ppm)	<1.0,<1.0,<1.0,<1.0	<1.0,<1.0,<1.0,<1.0
	pH (s.u.)	6.77 ,6.77,6.78,6.74	6.77,6.72,6.70,6.70
9. E			
	AN (ppm)	<0.008,<0.008	<0.008,<0.008
	ACN (ACN)	<0.015,<0.015	<0.015,<0.015
	CN (ppm)	<0.02,<0.02	<0.02,<0.02
	Cr (ppm)	<0.005,<0.005	<0.005,<0.005
2 1 1			- B
- 1 1×	As (ppm)	<0.002	
		34.7	
	Ba (ppm)	0.13	
		-	
	Cd (ppm)	<0.0005	
	Pb (ppm)	<0.002	
	Hg (ppm)	<0.0002	
	Se (ppm)	<0.002	
	Ag (ppm)	<.01	-
	a anda arag	2.00	
I	Cl (ppm)	210	
	Mn (ppm)	<0.01	
	Na (ppm)	146	
	SO4 (ppm)	48	
34 34	25 232 =		
	Fe (ppm)	<0.01	
	Phenolics (ppm)	<0.005	

		8th Year 3rd Qtr	9th Year 1st Qtr.
	Parameter	May 8, 2002	December 2, 2002
Well No.			
	Ground Water Elev.	5.29	5.69
D-8	(ft, msl)		
(POC)	Temperature (celcius)	25.4,25.3,25.4,25.4	24.1, 24.0,24.0,24.
	Specific Cond.(uS/cm)	1128, 1128, 1131, 1129	1122, 1127, 1124, 1118
	Turbidity (NTU)	1.74, 2.03, 2.11, 2.19	16.4, 14.7, 12.1, 12.9
	TOC (ppm)	<1.0,<1.0,<1.0,<1.0	<1.0,<1.0,<1.0,<1.
	pH (s.u.)	6.66 ,6.69,6.70,6.68	6.74,6.71,6.74,6.7
	pr (o.u.)	0.00 ,0.02,0.70,0.00	0.71,0.71,0.71,0.7
	AN (ppm)	<0.008,<0.008	<0.008,<0.008
¥/i	ACN (ACN)	<0.015,<0.015	<0.015,<0.015
	ACN (ACN)	<0.015, <0.015	<0.015,<0.015
	CN (ppm)	<0.02, <0.02	<0.02, <0.02
	G- ()	<0.005 <0.005	50.005 50.005
	Cr (ppm)	<0.005, <0.005	<0.005, <0.005
	As (ppm)	<0.002	1 2
			= = = =
	Ba (ppm)	0.18	
	C4 ()	<0.0005	
	Cd (ppm)	~0,0003	
	Pb (ppm)	<0.002	E = - 10
	di y		
	· Hg (ppm)	<0.0002	£
	S- ()	<.0.002	
	Se (ppm)	<.0.002	
	Ag (ppm)	<0.01	
			i i
	Cl (ppm)	186	
	Mn (ppm)	<0.01	
			GV
	Na (ppm)	142	
	SO4_(ppm)	40	
	304 (ррш)	40	
	Fe (ppm)	<0.01	
	Phenolics (ppm)	<0.005	

TCEQ Unit 004

		14th Year 3rd Qtr	15th Year 1st Qtr
Well No.	<u>Parameter</u>	March 8, 2002	September 12, 2002
TW-6A	Ground Water Elev.	4.3	3.65
(UG)	(ft, msl)	02 0 22 0 22 0 22 0	24 5 24 4 24 5 24 5
	Temperature (celcius)	23.8,23.8,23.9,23.8	24.5, 24.4,24.5,24.5
	Specific Cond (uS/cm)	1246, 1240, 1243, 1248	1266, 1268, 1272, 1271
	Specific Cond.(uS/cm)	1240, 1240, 1243, 1246	1200, 1200, 1272, 1271
	Turbidity (NTU)	2.48, 2.87, 2.66, 2.54	2.99, 2.78, 2.85, 2.74
	Turbidity (1110)		
	TOC (ppm)	<1.0,<1.0,<1.0,<1.0	<1.0,<1.0,<1.0,<1.0
	4		
	pH (s.u.)	6.91 ,6.90,6.93,6.91	6.96,6.99,7.01,7.02
			40.000 40.000
	AN (ppm)	<0.008, <0.008	<0.008, <0.008
	1.00.4100	<0.015 <0.015	<0.015, <0.015
	ACN (ACN)	<0.015, <0.015	<0.015, <0.015
	CN (com)	<0.02, <0.02	<0.02, <0.02
	CN (ppm)	10.02, 10.02	10.02, 0.02
	Cr (ppm)	<0.005, <0.005	<0.005,<0.005
	(рр.ш)		
	As (ppm)	F-1 1	<0.002
		24	
	Ba (ppm)		0.195
1,725,225	Cd (ppm)		<0.0005
			<0.005
	Pb (ppm)		<0.003
	II. (am)		<0.0002
	Hg (ppm)		0.0002
	Se (ppm)		<0.002
7-	ос (рршу		
ii - 0 _7	Ag (ppm)		<0.01
	- S dr /	19	
	Chloride (ppm)		140
Jan San			
	Mn (ppm)		<0.01
	Na (ppm)		123
			25
	SO4 (ppm)		35
			<0.01
	Fe (ppm)		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
91	Discoling (<0.005
	Phenolics (ppm)		-0.005

		14th Year 3rd Qtr	15th Year 1st Qtr
Well No.	<u>Parameter</u>	March 8, 2002	<u>September 12, 2002</u>
			0.67
TW-7	Ground Water Elev.	2.17	-0.67
(POC)	(ft, msl)	042242242242	24.6, 24.7,24.6,24.7
	Temperature (celcius)	24.3,24.3,24.3,24.3	24.0, 24.7,24.0,24.7
	Sanific Cond (uS/cm)	1965, 1967, 1965, 1966	1971, 1968, 1968, 1965
	Specific Cond.(uS/cm)	1903, 1907, 1903, 1900	,,
	Turbidity (NTU)	3.86, 3.77, 3.92, 3.81	3.67, 3.82, 3.96, 3.93
	Turbiany (1110)		
	TOC (ppm)	<1.0,<1.0,<1.0,<1.0	<1.0,<1.0,<1.0,<1.0
		*	
	pH (s.u.)	6.53 ,6.53, 6.55, 6.55	6.55,6.56,6.57,6.57
		<0.000 <0.000	<0.008, <0.008
	AN (ppm)	<0.008, <0.008	~0.000, ~0.000
	ACNI (ACND	<0.015, <0.015	<0.015, <0.015
	ACN (ACN)	-0.015, -0.015	0,013,
	CN (ppm)	<0.02, <0.02	<0.02, <0.02
	Ст (рршу		
	Cr (ppm)	<0.005, <0.005	<0.005, <0.005
			0.0
	As (ppm)		<0.002
			0.171
	Ba (ppm)		0.171
1.315.3		1 1 2	<0.0005
	Cd (ppm)		10.0005
	Pb (ppm)		<0.005
	го (ррш)	in the distance of the second	
	Hg (ppm)		<0.0002
	12		
	Se (ppm)		<0.002
	Ag (ppm)		<0.01
			200
	Cl (ppm)		300
			<0.01
_	Mn (ppm)		30.01
	No (nom)		124
	Na (ppm)		
	SO4 (ppm)		29
	55. (FF)		
	Fe (ppm)		<0.01
	Phenolics (ppm)		< 0.005

		14th Year 3rd Qtr	15th Year 1st Qtr
Well No.	Parameter	March 8, 2002	September 12, 2002
			1.00
TW-8A	Ground Water Elev.	1.58	-1.88
(POC)	(ft, msl)		24.0.24.0.24.1.24.0
	Temperature (celcius)	22.9,23.0,23.0,23.1	24.0, 24.0,24.1,24.0
¥.	Specific Cond.(uS/cm)	3120, 3130, 3120, 3130	3140, 3140, 3130, 3140
	Turbidity (NTU)	1.54, 1.87, 1.89, 1.69	2.77, 2.57, 2.55, 2.50
	TOC (ppm)	1.8, 18, 1.8,<1.0	<1.0,<1.0,<1.0,<1.0
	pH (s.u.)	6.81 ,6.87,6.91,6.89	6.86,6.89,6.89,6.90
	AN (ppm)	<0.008, <0.008	<0.008, <0.008
	ACN (ACN)	<0.015, <0.015	<0.015, <0.015
	CN (ppm)	<0.02, <0.02	<0.02,<0.02
	Cr (ppm)	<0.005, <0.005	<0.005, <0.005
	As (ppm)		<0.002
-	Ba (ppm)		0.195
	Cd (ppm)		<0.0005
	Pb (ppm)		<0.005
			<0.0002
	Hg (ppm)		10.0002
	Se (ppm)		<0.002
	Ag (ppm)		<0.01
	Cl (ppm)	3	640
	Mn (ppm)		<0.01
	Na (ppm)		347
	SO4 (ppm)	<u> </u>	120
	SO4 (ppin)		
	Fe (ppm)		<0.01
	Phenolics (ppm)		<0.005

		14th Year 3rd Qtr	15th Year 1st Qtr
Well No.	<u>Parameter</u>	March 8, 2002	September 12, 2002
255			
TW-9	Ground Water Elev.	1.53	-1.93
(POC)	(ft, msl)		044 042 042 042
	Temperature (celcius)	24.2,23.8,23.9,23.7	24.4, 24.3,24.3,24.3
	2 15 0 1/0/)	1562 1572 1502 1500	1577, 1579, 1575, 1577
	Specific Cond.(uS/cm)	1563, 1572, 1582, 1588	1377, 1373, 1373, 1377
	Turbidity (NTU)	3.42, 3.36, 3.44, 3.48	3.52, 3.37, 3.42, 3.42
	Turbidity (1410)	3.42, 3.30, 3.11, 0.10	
	TOC (ppm)	<1.0,<1.0,<1.0,<1.0	<1.0,<1.0,<1.0,<1.0
	Too Gray		
	pH (s.u.)	6.96 ,7.06,7.04,7.08	7.10,7.08,7.10,7.11
	AN (ppm)	<0.008, <0.008	<0.008, <0.008
			10.015 10.015
	ACN (ACN)	<0.015, <0.015	<0.015, <0.015
		10.00 10.00	<0.02 <0.02
	CN (ppm)	<0.02, <0.02	<0.02, <0.02
	C- ()	<0.005, <0.005	<0.005, <0.005
	Cr (ppm)	40.005, 40.005	0.000, 0.000
-	As (ppm)		<0.002
	75 (рршу		
	Ba (ppm)		0.129
	Cd (ppm)		<0.0005
7 11 2	Pb (ppm)		<0.005
			<0.0002
	Hg (ppm)		<0.0002
	<u> </u>		<0.002
78.150.250.2785	Se (ppm)		<0.002
			<0.01
	Ag (ppm)		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	Cl. (nom)		120
	Cl (ppm)		
	Mn (ppm)		<0.01
	ти (руш)		
	Na (ppm)		210
	The second second	- 15872-5-0111	
	SO4 (ppm)		60
3	Fe (ppm)		<0.01
H			
	Phenolics (ppm)		< 0.005

Old Landfill

		14th Year 3rd Qtr	15th Year 1st Qtr
Well No.	<u>Parameter</u>	March 8, 2002	<u>September 12, 2002</u>
		100	2.40
TW-10	Ground Water Elev.	4.06	3.48
(UG)	(ft, msl)	02 2 22 2 22 2 22 2	24.4.24.4.24.5.24.5
	Temperature (celcius)	23.3,23.3,23.3,23.3	24.4, 24.4,24.5,24.5
	Specific Cond.(uS/cm)	1180, 1184, 1185, 1183	1193, 1197, 1197, 1195
	Specific Contactors only		
	Turbidity (NTU)	3.86, 3.77, 3.92, 3.81	3.67, 3.82, 3.96, 3.93
	TOC (ppm)	1.7, 1.4, 1.4, 1.2	<1.0,<1.0,<1.0,<1.0
	pH (s.u.)	6.65 ,6.68,6.66,6.68	6.58,6.60,6.61,6.61
	pri (s.u.)	0.00 (0.00)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	AN (ppm)	<0.008, <0.008	<0.008, <0.008
	ACN (ACN)	<0.015, <0.015	<0.015, <0.015
		10.00 10.00	<0.02 <0.02
	CN (ppm)	<0.02, <0.02	<0.02,<0.02
	Cr (ppm)	<0.005, <0.005	<0.005, <0.005
	Ст (ррш)		
	As (ppm)	A N	<0.002
9.08			
	Ba (ppm)		0.352
			<0.0005
	Cd (ppm)		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	Pb (ppm)		<0.005
	(Pin)		
	Hg (ppm)		<0.0002
	100		
146	Se (ppm)		<0.002
			<0.01
	Ag (ppm)		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
15.5	CI (ppm)		140
	Ст (рр.ш)		. 5
	Mn (ppm)		0.34
	Na (ppm)		84
	1001 ()		33
	SO4 (ppm)		33
	Fe (ppm)		1.17
	Te (ppin)		
	Phenolics (ppm)		< 0.005

Old Landfill

us		14th Year 3rd Qtr	15th Year 1st Qtr
Well No.	<u>Parameter</u>	March 8, 2002	September 12, 2002
TW-11	Ground Water Elev.	1.78	-1.52
(POC)	(ft, msl)		
	Temperature (celcius)	22.8,22.9,23.0,23.0	24.3, 24.2,24.2,24.2
	0 15 0 14 54)	1500 1505 1545 1545	1541, 1546, 1548, 1549
-	Specific Cond.(uS/cm)	1532, 1535, 1545, 1545	1341, 1340, 1348, 1349
	Turbidity (NTU)	8.573, 8.77, 9.11, 8.73	7.91, 7.84, 7.89, 7.95
	Turblany (IVIO)	0.575, 6.11, 5.11, 6.15	
	TOC (ppm)	1.7, 1.1, 1.1,<1.0	<1.0,<1.0,<1.0,<1.0
35 TO 1			
	pH (s.u.)	6.98 ,7.07,7.08,7.04	7.00,7.02,7.00,7.02
	1	<0.000 <0.000	<0.008, <0.008
	AN (ppm)	<0.008, <0.008	V.000, \0.000
	ACN (ACN)	<0.015, <0.015	<0.015, <0.015
	ACN (ACN)	10.015, 10.015	0.010, 0.010
	CN (ppm)	<0.02, <0.02	<0.02, <0.02
	Gr. GP.		
	Cr (ppm)	<0.005, <0.005	<0.005, <0.005
	The state of the s		
	As (ppm)	1 1	<0.002
			0.404
	Ba (ppm)		0.494
	Cd (ppm)		<0.0005
	Cd (ppm)		0.000
	Pb (ppm)		<0.005
	Gr //		
	Hg (ppm)		< 0.0002
	1.5		
4	Se (ppm)		<0.002
			10.01
	Ag (ppm)		<0.01
	Cl. (nom)		280
	Cl (ppm)		200
	Mn (ppm)		<0.01
	(PPIN)		
	Na (ppm)		129
	SO4 (ppm)		43
	Fe (ppm)		<0.01
			20.005
	Phenolics (ppm)		<0.005

		14th Year 3rd Qtr	15th Year 1st Qtr
Well No.	<u>Parameter</u>	March 8, 2002	September 12, 2002
TW-12	Ground Water Elev.	2.27	-0.51
(POC)	(ft, msl)		
	Temperature (celcius)	23.5,23.4,23.5,23.6	24.6, 24.6,24.6,24.6
	Specific Cond.(uS/cm)	1549 1547, 1544, 1544	1549, 1552, 1552, 1555
	Turbidity (NTU)	4.06, 3.87, 3.83, 3.87	4.31, 4.15, 4.10, 4.11
-	TOC ()	<1.0,<1.0,<1.0,<1.0	<1.0,<1.0,<1.0,<1.0
	TOC (ppm)	1.0, 1.0, 1.0, 1.0	11.0, 11.0, 11.0, 11.0
	pH (s.u.)	6.34 ,6.40,6.42,6.80	6.42,6.45,6.46,6.47
	p11 (3.u.)		, , , , , , , , , , , , , , , , , , , ,
	AN (ppm)	<0.008, <0.008	<0.008, <0.008
	Tr.	-	
	ACN (ACN)	<0.015, <0.015	<0.015, <0.015
			0.02
	CN (ppm)	<0.02, <0.02	<0.02, <0.02
	Cr (ppm)	<0.005, <0.005	<0.005, <0.005
			ro 000
78 5.1 	As (ppm)		<0.002
11			0.57
	Ba (ppm)		0.57
	Cd (ppm)		<0.0005
	Cu (ppiii)		0.000
	Pb (ppm)		<0.005
	(ррш)		
	Hg (ppm)		<0.0002
	1.5		
	Se (ppm)		<0.002
stan	NAME OF THE PERSON OF THE PERS		
	Ag (ppm)		<0.01
	was a sure of the		
100	Cl (ppm)	50 7 7	240
. 8			-00:
	Mn (ppm)		<0.01
			144
	Na (ppm)		144
	504 ()		40
	SO4 (ppm)		40
	Fa (nnm)		<0.01
	Fe (ppm)		50.01
	Phenolics (ppm)		<0.005

ATTACHMENT II

Graphs of Ground Water Parameters


Two groups of graphs are enclosed. The first group is for those parameters whose concentrations were always greater than detection limits. The second group is for parameters that had concentrations both above and below detection limits. In these cases, the below detection value is graphed at the detection limit. Graphs have not been constructed where a parameter for a well was always below detection limits. Data for 2002 is contained in Section I of this report and the data for 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, and 2001 are contained in previous annual reports.

SECTION IV

Potentiometric Maps and Flow Calculations


TCEQ Unit 027

New Landfill



Note:

The U-3 to D-7L apparent hydraulic gradient is calculated to be 0.008 ft/ft. Assuming a hydraulic conductivity of 105 ft/yr and an aquifer porosity of 0.37, the U-3 to D-7L apparent average linear velocity is calculated to be 2.1 ft/yr.



BP GREEN LAKE

Figure 1


NEW LANDFILL POTENTIOMETRIC SURFACE MAY 7, 2002

PROJECT: 080058 BY: ZGK REVISIONS

DATE: JAN., 2003 CHECKED: MKW


MFG, INC.

ENVIRONMENTAL SCIENCES AND ENGINEERING SERVICES



Note:

The U-3 to D-7L apparent hydraulic gradient is calculated to be 0.007 ft/ft. Assuming a hydraulic conductivity of 105 ft/yr and an aquifer porosity of 0.37, the U-3 to D-7L apparent average linear velocity is calculated to be 2.0 ft/yr.



BP GREEN LAKE

Figure 2

NEW LANDFILL POTENTIOMETRIC SURFACE DECEMBER 3, 2002


PROJECT: 080058 BY: ZGK REVISIONS

DATE: JAN., 2003 CHECKED: MKW

MFG, INC.


ENVIRONMENTAL SCIENCES AND ENGINEERING SERVICES

TCEQ Unit 004
Old Landfill



Note:

The TW-6A to TW-8A apparent hydraulic gradient is calculated to be 0.005 ft/ft. Assuming a hydraulic conductivity of 105 ft/yr and an aquifer porosity of 0.37, the TW-6A to TW-8A apparent velocity is calculated to be 1.5 ft/yr.



BP GREEN LAKE

Figure 1


OLD LANDFILL POTENTIOMETRIC SURFACE MARCH 8, 2002

PROJECT: 080058 BY: ZGK REVISIONS

DATE: JAN., 2003 CHECKED: MKW


MFG, INC.

ENVIRONMENTAL SCIENCES AND ENGINEERING SERVICES



Note:

The TW-6A to TW-8A apparent hydraulic gradient is calculated to be 0.01 ft/ft. Assuming a hydraulic conductivity of 105 ft/yr and an aquifer porosity of 0.37, the TW-6A to TW-8A apparent velocity is calculated to be 3.0 ft/yr.



BP GREEN LAKE

Figure 2

OLD LANDFILL POTENTIOMETRIC SURFACE SEPTEMBER 12, 2002

PROJECT: 080058	BY: ZGK	REVISIONS
DATE: JAN., 2003	CHECKED: MKW	

MFG, INC.

ENVIRONMENTAL SCIENCES AND ENGINEERING SERVICES

2002 GROUNDWATER PRACTICAL QUANTITATION LIMITS ANALYTICAL RESULTS PROVISION VI.G.2

	Minimum Detection Limit (mg/L)	Practical Quantitation Limit (mg/l)	Permit Limit (mg/L)
AN Cr	0.002	0.005	0.01
CN Aceto	0.005	0.016 0.007	0.03 0.10

Provision VII.E.8.
Landfill Closure

Closure Summary: No permitted hazardous waste cell closures occurred in 2002.

Provision VI.E.8.


Summary of Construction/Expansion of Hazardous Waste Facility Units


There were no new cell constructions or expansions during the 2002 year.

Cell 9 of TCEQ Unit 027 was placed into service on September 1, 1993.

Provisions VI.G.4.

Landfill Maps





Provision II.B.7. 40 CFR 264.75 (g)

for Permitted Units Summary of Closure/Post-Closure Cost Estimate

The financial assurance for permitted units was adjusted by 3% to account for inflation during 2002.

ZEL'ZS9'I\$ = E0.I × \$66,400,1\$Post Closure $$11'288'1$ = $0'1 \times $35'81L'1$$ Closure

Provision II.B.7

Disposal Summary

The waste disposal summary is attached along with a map of the grid system used for disposal. No waste was disposed of into TCEQ unit O27.

Cell #9 Locations (Unit 027)


-	Vorth V							
	35	18	30	67,				
	87	LT	97	57				
	₽7	23	77	17				
	07	61	81	LI				
-	91	ŞĪ	ħΙ	εī				
	12	II	10	6				
超越	8	L	9	ς				
	Þ	ε	7	ī				

CELL 9 (Cell 04 of Permitted Unit 027)

U)	1 H	55 SS S	y .	84 M		= 81 = 81		1 CONT. 1 CONT		* t- x	= x
		a⊂: vz ac² : !			9 <i>L</i>	`£ĭL'ĭ			uŗ A	Capacity (yds)	Remaining Cell 9
						.000,2 0 .081,1		(sp.	(yds) 02 (yds) evious (y	Sposed 2(Landfill id emuloV Volume Di
-	0							M. V	(spX) Z(boseq 500	Total Dis
								8			
	0		0	0 0	0	0 0			Waste saminated saminated	suobiszs dnoO	Class I H
	Total Disposed		II beso	e Dispo	Mast	д Илшрек	C [©] II			(spX) uo	Descripti
								25 15 27			

Provision VII.E.8

TCEQ unit 006 was clean closed in 1988. This incinerator was not used for burning liquid hydrogen cyanide in 2002.



□ Texas Commission on Environmental Quality Investigation Report

BP CHEMICALS INC CN600124531

BP CHEMICALS GREEN LAKE PLANT

RN100210038

Investigation #372034

Incident #

Investigator:

MATT NERREN

Site Classification

LARGE QUANTITY GENERATOR CONTAINER STORAGE AREA

IHW LANDFILL INJECTION WELL

SUMP

TANK (SURFACE)

WASTE TREATMENT FACILITY

Conducted:

02/16/2005 -- 02/17/2005

NAIC Code: 325199

SIC Code: 1629

Program(s):

INDUSTRIAL AND HAZARDOUS WASTE STORAGE

INDUSTRIAL AND HAZARDOUS WASTE GENERATION INDUSTRIAL AND HAZARDOUS WASTE PROCESSING INDUSTRIAL AND HAZARDOUS WASTE DISPOSAL

Investigation Type: Compliance Investigation

Location: State Hwy 185 approx. 7 miles

north of Green Lake

Additional ID(s): 50143

TXD000751172

Address: 13050 STATE

Activity Type:

IHWTSD - CEI of treatment/storage/disposal facility

HIGHWAY 185 N; PORT LAVACA,

TX 77979

Principal(s):

Role

Name

RESPONDENT

BP CHEMICALS INC

Contact(s):

Role

Title

Name

Phone

Regulated Entity Contact

ENVIRONMENTAL

MR VAN BOONE

Fax Work (361) 552-8229

Regulated Entity Mail Contact.

MANAGER PLANT MANAGER

MR JOHN HARVEY

Work

(361) 552-7543 x. 642 (361) 552-8606

Other Staff Member(s):

Role

Name

QA REVIEWER SUPERVISOR

PHYLLIS CUNNINGHAM

SUSAN CLEWIS

Associated Check List

Checklist Name

Unit Name

IHW CEI GENERAL FACILITY

IHW CONTAINER STORAGE AREA - FY05

IHW Gen CSA

IHW EXISTING TANKS

Tanks

IHW PERMIT COMPLIANCE

Permit

IHW PERMITTED CONTAINER STORAGE AREA

IHW LAND DISPOSAL RESTRICTIONS FOR GENERA LDR

Permit CSA



Page 2 of 3

IHW PERMITTED FACILITY GENERAL STANDARDS Permit Gen Stand IHW PRE-INVESTIGATION Pre Invest IHW GENERIC OTHER ISSUES OR VIOLATIONS (10 I Other Issues

Investigation Comments:

INTRODUCTION

On February 16 and 17, 2005, a Compliance Evaluation Investigation was conducted at BP Chemicals' Green Lake Facility to assess the hazardous waste management practices for the permitted facility.

The Green Lake Facility is located in Calhoun County on State Highway 185, six and one-half miles south of Bloomington, Texas. BP representative, Mr. Van Boone, Health, Safety and Environmental Manager with BP Chemical, participated in this investigation. Mr. Boone was contacted February 8, 2005, to schedule the investigation.

An exit interview was conducted on February 17, 2005. Mr. Boone was informed that one area of concern was noted. Mr. Harvey, BP Chemical Plant Manager, stopped by but was scheduled for another appointment.

GENERAL FACILITY AND WASTE PROCESS INFORMATION

BP Chemicals' Green Lake Facility is an organic chemical manufacturing facility that produces acrylonitrile, acetonitrile and acetone cyanohydrin. The plant also operates a marine shipping and receiving terminal on the Victoria Barge Canal. This site is a permitted treatment storage and disposal facility (TSD) for waste generated on-site (HW Permit No. 50143).

Process wastewater generated at the plant, carries numerous hazardous waste codes and is treated for disposal into one of three permitted on-site injection wells. Solids removed from the process wastewater are also listed and handled by ONYX Environmental by incineration at their Port Arthur facility. Initially, BP disposed of the solids in their on-site landfills however, due to Land Ban Requirements the solid waste is now incinerated. Wastewaters from non-process areas are non-hazardous and are treated and discharged through TPDES permitted outfalls.

Permitted waste management units evaluated during this investigation included one Container Storage Area (CSA) - NOR No. 017, and two hazardous waste landfills (one active - NOR No. 027 and one closed - NOR No. 004). The active landfill is seldom used due to the advent of Land Ban Requirements. The following active, permit exempt waste management units were also evaluated: five less than 90-day CSA's, 18 less than 90-day pre-injection tanks, one non-hazardous landfill and 14 Satellite Accumulation Areas (SAA's).

A reference to the TCEQ Central Office insurance coverage database maintained by Mr. Stoebner, confirms that BP Chemicals maintains liability insurance coverage for sudden and non-sudden accidental occurrences and for closure and post-closure cost estimates in the required amounts. Financial assurance is provided by corporate guarantee. Inflation adjusted amounts for coverage will be due March 30, 2005.

During the groundwater investigation, one Area of Concern was noted at the Old Landfill (NOR 004). According to the groundwater sampling results of September 21, 2004, the Groundwater Monitoring Well (MW)-TW-7 had an exceedance of cyanide concentrations. The monitoring well is located down gradient of Cell No. 5. Regulatory action levels for the presence of cyanide, listed in Permit 50143 are 0.03 ppm. The reading taken at MW- TW-7 was 0.06 ppm for the presence of cyanide. Facility personnel are aware of the situation and working with the TCEQ's Permitting Section in Austin to resolve the problem.

CONCLUSION

One area of concern was noted during this investigation. A general compliance letter was transmitted to the facility.

No Violations Associated to this Investigation

Areas of Concern

<u>Description</u>	Additional Comments			
Item #1	During the groundwater investigation, one Area of Concern was noted at the Old Landfill (NOR 004). According to the groundwater sampling results of September 21, 2004, the Groundwater Monitoring Well (MW)-TW-7 had an exceedance of cyanide concentrations. The monitoring well is located down gradient of Cell No. 5. Regulatory action levels for the presence of cyanide, listed in Permit 50143 are 0.03 ppm. The reading taken at MW- TW-7 was 0.06 ppm for the presence of cyanide. Facility personnel are aware of the situation and working with TCEQ's Permitting Section in Austin to resolve the problem.			
SignedEnvironmental Investigator	Date <u>4/1/05</u>			
Signed <u>funan Clewin</u> Supervisor	Date			
Attachments: (in order of final report s	submittal)			
Enforcement Action Request (EAR)	Maps, Plans, Sketches □ □			
Letter to Facility (specify type): ben. Com	Photographs			
Investigation Report	Correspondence from the facility			
Sample Analysis Results	Other (specify):			
Manifests	Tanks Talke - C			
NOR-A	CSA table - D			
	Exit Interview Form - E			
	RCRA Ground unter Mont F			

BP Chemicals Inc.

13050 Hwy 185 Port Lavaca, Texas 77979 SWR No. 32164 EPA ID No. TXD000751172

Attachment A
Notice of Registration

BP Chemicals Inc

32164

*** IEXAS COMMISSION ON ENVIRONMENTAL QUALITY *** Notice of Registration Industrial and Hazardous Waste

Solid Waste Registration Number: 32164 EPA Id: TXD000751172

Company Name:

Site Name:

Last Amendment Date: Site Location:

Last Date NOR Computer update: BP Chemicals Inc
BP Chemicals Green Lake Complex
Hwy 185 6.5 Mi S of, Bloomington Texas, Port Lavaca, TX
Title: Works General Manager Contact:

01/12/2005 06/03/2004 11/15/1981

Initial Registration Date:

Mailing Address: PO Box 659

Site Street Address:

Hwy 185 6.5 Mi S of

Reporting Method: Bloomington Texas Port Lavaca, TX 77979 HW Permit #: 50143 Port Lavaca, TX 77979-0659 Registration Status: Active

Registration Type: Generator Generator Type: Industrial This registration has the following merged registrations: 68217

Site Chemical Manufacturer Received written request for company name change 12-29-2004. has a HW permit #50143. Sent to permits 1-4-2005 JH Spoke to EJ Biskup in Permits--he wanted to make sure we don't make any changes without Permit approval. 1-10-2005 JH Business Description:

325199 All Other Basic Organic Chemical Manufacturing 10423094365 NAICS Code: Tax Identification #: Handler Status:

Owner Information
Name: BP Chemicals Inc
Phone: 361-552-7543
Address: PO Box 659
Port Lavaca, TX, BP Chemicals Inc 361-552-7543 Operator Information PO Box 659 Name: Phone: Address:

As of 06/03/2004 - the next unassigned sequence number for WASIES is 0904 and the next unassigned sequence number for UNITS is 063.

77979-0659

Port Lavaca, IX,

77979-0659

02/08/05 Page: Date:

Kathleen Hartnett White, Chairman R. B. "Ralph" Marquez, Commissioner Larry R. Soward, Commissioner Glenn Shankle, Executive Director



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Protecting Texas by Reducing and Preventing Pollution

April 1, 2005

Mr. John Harvey III Plant Manager BP Chemicals Inc. P.O. Box 659 Port Lavaca, Texas 77979

Re: Compliance Evaluation Investigation at:

BP Chemicals Inc. Green Lake Complex, Highway 185, 6.5 miles South of Bloomington,

Calhoun County, Texas

Solid Waste Registration No. 32164, EPA ID No. TXD000751172

Hazardous Waste Permit No. 50143

Dear Mr. Harvey,

On February 16 and 17, 2005, Mr. Matt Nerren of the Texas Commission on Environmental Quality (TCEQ) Corpus Christi Region 14, Office conducted an investigation of the above referenced facility to evaluate compliance with applicable industrial hazardous waste requirements. No violations were documented during the investigation.

The TCEQ appreciates your assistance in this matter and your compliance efforts to ensure protection of the State's environment. If you or members of your staff have any questions regarding these matters, please feel free to contact Mr. Matt Nerren in the Corpus Christi Region Office at (361) 825-3141.

Sincerely,


Susan Clewis


Waste Section Manager

Corpus Christi Region Office

Clevis

SC/mn





BP Chemicals Inc.

13050 Hwy 185 Port Lavaca, Texas 77979 SWR No. 32164 EPA ID No. TXD000751172

> Attachment C Tanks Table

				TANKS TABI BP Chemicals In			
Tank Fac Status & Permit #	Tank Capacity (Gallons)	Tank Identity	NOR Facility Number	Location	New (N) or Existing (E) Tank	Date put into Service Date due 2d Cont.	Waste Handled (NOR Waste Stream #) Violation of Rules, list with Section & Q # only
Е	3300	Sluice Tanks (2) FD-9101A	028	Deep Well Pretreatment (Two tanks)	Е	1980 1995	See NOR
Е	160,000	Quench Water Clarifier FB-701	015	Deep Well Pretreatment	Е	1980 1995	See NOR
Е	65,000	WW Tank FB-91001C	001	Deep Well Pretreatment	Е	1980	See NOR
						1995	
Е	650,000	WW Tank Surface FB-	013	Deep Well Pretreatment	Е	1980	See NOR
		9701A		Pretreatment		1995	
Е	650,000	WW Tank (Surface)	014	Deep Well Pretreatment	Е	1980	See NOR
		FB-9701B		Treatment		1995	
Е	1500	Pre-Coat Tank near D.E. Filters	019	Deep Well Pretreatment	Е	1995 1995	See NOR
Е	1500	Deep Well	022	Deep Well	Е	1982	See NOR
		Sump		Pretreatment		1997	
Е	90,000	Deep Well	024	Deep Well	Е	1980	See NOR
		Sump		Pretreatment		1995	
Е	1000000	WW Tank	036	Deep Well	E	1984	See NOR
				Pretreatment		1999	
Е	1000000	WW Tank	037	Deep Well Pretreatment	Е	1982	See NOR
				Frencament		1997	
Е	85,000	Spent Caustic Tank FB-	038	Deep Well Pretreatment	Е	1980 1995	See NOR
Е	100000	9704 Deep Well	040	Doon Wall	Е	1982	See NOP
E	100000	Sump	040	Deep Well Pretreatment	E	1982	See NOR
E	27000	Deep Well	049	Deep Well	Е	1982	See NOR
		Sump	Action (Sept.	Pretreatment	2005	1997	
Е	13000	Deep Well Sump	051	Deep Well Pretreatment	Е	1982 1997	See NOR

				Tanks Table Continued BP Chemicals Inc.			
E	50	Decon		Deep Well	Е	1995	See NOR
	=	Sump	045	Pretreatment		1995	
E	200	Catalyst	053	Catalyst Plant	Е	1999	See NOR
		Plant Sump				1999	
Е	6000	Clarifier Overflow	016	Deep Well Pretreatment	Е	1980	See NOR
		Tank FB- 9702		1995			
Е	25000	Regen. Collection Tank	61	Deep Well Pretreatment	Е	2000	See NOR
							1 M

					**		

NOTE: @ Identify tanks as to Facility status, i.e. P-permitted, I-interim status, E- exempt 90-day storage, S-small quantity generator, and NH-nonhazardous

BP Chemicals Inc.

13050 Hwy 185 Port Lavaca, Texas 77979 SWR No. 32164 EPA ID No. TXD000751172

Attachment D
Container Storage Area and
Satellite Accumulation Area Table

CONTAINER STORAGE AREAS (CSAs) and SATELLITE ACCUMULATION AREAS (SAAs)

BP Chemical Inc.

^a NOR Fac. No.	Permit Unit No.	Permit Capacity	Name/ Location	Contai n. Req.?	Wastes Managed (TX. Waste Codes)	Number and Types of Containers Present (at time of INVESTIGATION)	Violation(s) / Area(s) of Concern	
005	N/A	N/A	Contractor CSA	No	See NOR	70 empty 55 gallon drums	none	
017	002	22,000 gals.	Quench water clarifier CSA	Yes	See NOR	20- 55 gallon drums of hazardous solids.	none	
025	N/A	N/A	Polishing unit CSA	No	See NOR	No containers present	none	
041	N/A	N/A	Process Lab CSA	No	See NOR	Two partially full 55 gallon drums of lab waste.	none	
043	N/A	N/A	Main lab CSA	No	See NOR	Two 55 gallon drums for lab waste. One empty and the other is partially full.	none	
056	N/A	N/A	Cat plant CSA	No	See NOR	16-55 gallon drums of catalyst waste.	none	
N/A	N/A	N/A	SAA/ Warehouse	No	N/A	One partially full, 55 gallon drum of contaminated debris	none	
N/A	N/A	N/A	SAA/ Construction Area	No	N/A	One partially full, 55 gallon drum of paint waste. HW managed	none	
N/A	N/A	N/A	SAA/ Barge Terminal	No	N/A	One partially full, 55 gallon drum of contaminated debris	none	
N/A	N/A	N/A	SAA/Rail Rack	No	N/A	One partially full, 55 gallon drum of contaminated debris	none	
N/A	N/A	N/A	SAA/Catalyst Facility, 1 st floor	No	N/A	One partially full, 55 gallon drum of used T- Vex Suits (P-120)	none	
N/A	N/A	N/A	SAA/Catalyst Facility, 1st floor	No	N/A	One partially full, 55 gallon drum of P-120 waste	none	
N/A	N/A	N/A	SAA/Catalyst Facility, 2nd floor	No	N/A	One partially full, 55 gallon drum of P-120 waste	none	
N/A	N/A	N/A	SAA/Catalyst Facility, 2nd floor	No	N/A	One partially full, 55 gallon drum of P-120 waste	none	

N/A	N/A	N/A	SAA/Catalyst Facility, 2nd floor	No	N/A	One partially full, 55 gallon drum of P-120 waste	none
N/A	N/A	N/A	SAA/Catalyst Facility, 3rd floor	No	N/A	One partially full, 55 gallon drum of P-120 waste	none
N/A	N/A	N/A	SAA/Catalyst Facility, 4th floor	No	N/A	One partially full, 55 gallon drum of P-120 waste	none
N/A	N/A	N/A	SAA/Catalyst Facility, 5th floor	No	N/A	One partially full, 55 gallon drum of P-120 waste	none
N/A	N/A	N/A	SAA/Catalyst Facility, 5th floor	No	N/A	One partially full, 55 gallon drum of P-120 waste	none
N/A	N/A	N/A	SAA/Catalyst Facility, 6th floor	No	N/A	One partially full, 55 gallon drum of P-120 waste	none

^a NOR Fac. No.:If registration not required - N/A (i.e., Satellite Accumulation Areas)

If registration required but not provided - X (& note violation of 30 TAC §335.6(c))

BP Chemicals Inc.

13050 Hwy 185 Port Lavaca, Texas 77979 SWR No. 32164 EPA ID No. TXD000751172

> Attachment E Exit Interview Form

Date

Regulated Entity Representative Name (Sigued & Printed)

1.1	;				
I I	į		311553 8642 THE ENGLY 2 16 17-15		
	!	1	~);	1	17.6
	!	!	7.	2	16.6
1.	i	}	7	5	F355
3		į	70:	\ !	ě
7.5		:	· ~	-4	101
	:	Ċ	Y-37 1	3.00	135
		f	3		ğ
100	, ;	1	9	3	É
3	6.4	E	5	The second	ě
700	~ !		22	2	pe c
	100	Ī		12.	75
×4.5	32.169	Ì			7.7
-	270	. {	4	29	age
L	E E	1	33	3	5
155			-+		W. C.
**	73	M	12	S	Ž
į, į	S S	i	, 50	4	SSX
活	怪意	4	361	15	O D
	245.51.5	S. 5-44	250		ciles
90		: 5	3.1	7.7	V.Sti
199		1.00	1.56		. 10
5.00		100	150.0	77.7	11 41
7		ŞΈ	2		din.
200		, a,	14E	1	Jul
		^ 24	温	12	Pi cid
(ent		1	100		20
, ic		11111	- 2	50.5	2
\77		>		1	1
" S					-
	100				
100	!				2
() ()		(J. W)			have
M		(A). () 53			That have on
WTO	16.	Topic Dark		1 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1	oned led ages
FW TO	Inc.	in affigue (A.Ch)			to bear and bear of
RVFRWTO	Tuc.	de inaffonie () my			city of temper livet have co
PRVFFWTO	in Inc.	(A) the profite (A.C.)	Q;		to chart to kennes that have on
NTERVERWIED	mich Inc.	de biede haffone (b.ch)	مريبه رئي	Ja)	Contract of the land of the hand
INTERVIEW [6]	Brien Inc.	volleg bledein affonie (D.ch)	9:45	الإرادار	to Lead to the chart of the bare of
TTINTENTENTO	Homisch Juc.	Chairel Mille Leafang and Chair	المار المراسية	Marcel	A A to Links dame to bear of the bare of
EXITINTERVIEWRO	(Nemica) Inc.	Cool of Milde in Albacia	Vag Bair	Marcel	The day of the form of the bare of
GEXT INTERVIEW PO	P (Homical Inc.	The contraction of the factor	1 Van Bairp	no Marcel	or a leaf self service of the barrens of the barrens
ROEXILINDERVIEW PO	BP (Hemical Juc.		Al Ven Baire	Env Marcel	the state of the state of the state of the state of
ICECTAL INTERVERY PO	BP (hemica) Inc.		is the Bosse	Env Marcel	The transfer of the Land of the Land of the Land of the Co.
TICLO EXIT INTERVERY PO	BP Chemical Inc.	IN COMPANY OF THE PROPERTY OF	Elect Mr Von Bourp	Enr Marcel	the transfer of the Anna Contract of the base of
TIGE GEXTINATION FOR PROPERTY FOR	ENSUE SP (Homica) Juc.	In the supplied of the supplie	Meet of No Ven Bour	En Marcel	the transfer of the Anna Anna Court of the Court of the bare of
LICE OF WITH THE RY FIGHT FOR	Stringe BP (hemica) Inc.	In a suggestion and the property of the proper	Supplies A Ven Bour	Env. Marcel	and several strains of the first hause
TICLO EXIT INTERVENTED	Marine BP Chaman Tuc	Wind studies in the state of th	Wenter Ar Ven Bour	Env Mariel	and half server of the first half a few first half and a few first half and a few first half a few first hal
THE STOREGEN THE TRANSPORT OF	Material BP Chomical Inc.	IN CONTROL OF THE PROPERTY OF	print current for pour	En Marcel	and the second of the second s
TICH CHAXILINITERATION (INC.)	Chemical Tuc.	IN A SHARE ALL SHARE AND A SHA	Manney Meters Ar Von Boure	En Marcel	Section 1. Complete Section 1.
OH WHAT INTERVENTED	Mark traditional BP (Nomica) Juc.	Wind and the result of the second of the sec	The Marine State of Mr. Von Done	Env Marce	Common Co

PRICACEMENT Conclusive drawn from this investigation, including additions, violations at portained victorized (flary) danne the course of this investigation, will be deconacted in this investigation. NOTICE: The information provided to this Note is unfended to provide view to the information provided to this Note is unfended to provide view the provided to this Note is unfended to the date of the view of the view to the provided results of a solice of view to the provided to the provided in this investee solice of view to the provided in the provided in this investee solice of view to the provided in the pr

	ದಿನಲ್ಲಿಗ			- -	-			
			;	į	1	!	Í	ì
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			:	•	ì			1
200	.Z	!	į	:	•	1		
		:	;	;	į	1		ļ
		è	:	•	į	i		ļ
\ <u>\</u>	18.4	90	:	į	- 1	ĺ		ļ
	Hara	his on exceeding	1	İ				į
0	2.7	×		1				}
P. 13	2.75			1				
700	IKA ST	27	j	- 1		1	Ì	1
	2.7		ļ		ļ			İ
10.7		7.4.5	1		į			ĺ
(C)	N.		77	1	.			į
5.5		Z	<u>-</u>		;			हि
		205	1					edne
這是	追	2	ં હીં					ds R
	i di di	10R 004,	70	_				roca
200	, E	7	2		1			E
證			9	1				Pofenial Violation), O (Other), or RR (Records Request)
海透	11.	1 Fil	4	1				her),
	1	-8	yanide 0.03 ppm over neralitid 1200				1	Ē
PR		Tue Old Lund	03					o 合
	100	100	0	J				latio
P C			ما	1				V jo
3.2	2 d	3	200					eilis
			2					
	100	rea of Concord	۷					M
	3. 2	7	4	-				(aoi
当当			- %	1				inla.
		ž						18
73.8	17.10	A						
100								AV.
								900
200	182							Mor
48.5	0							10
80								0
No.							l i	B He
1 1		-						Note 1: Inne Twhe Can Be One or More of: AV (Alleged Violation), PV
43.4	120	O.					!	1
	, , , , ,	-			5.77		H	=
	ž	_						9
N	1777	1		i		<u> </u>	للل	

3-9-0 Document Acknowledgment. Signature on this document establishes only that the regulated entity (company) representative teceived a copy of this document and associated continuation pages on the date noted. If contagt was made by telephone, document will be faxed to regulated entity; the perfore, signature not required

Investigator Name (Signed & Printed)

Date

COPIES: Original: for Requisted Entity Representativa, Copy: TCEQ Revised 6/129/04

(Note: 1:20 auditional pages as necessary) Page __L_ of __L_

BP Chemicals Inc.

13050 Hwy 185 Port Lavaca, Texas 77979 SWR No. 32164 EPA ID No. TXD000751172

Attachment F
RCRA Groundwater Monitoring Checklist

n	LO Reg. No.	221/1	
	III Reg No	32164	
	20 ILCE: 110.	JULUT	

TCEQ INDUSTRIAL AND HAZARDOUS WASTE INVESTIGATION REPORT COMPLIANCE EVALUATION INVESTIGATION (CEI) GROUND-WATER MONITORING CHECKLIST

Use this checklist for facilities which have Permitted and Interim Status units which require ground-water monitoring.

Sec	ection A INTRODUCTION	
1.	Facility Name: BP Chemical Inc.	
2.	RCRA Ground-Water Monitoring Status: Complete the table on the next page for Waste Management Unit (WMU).	or each RCRA
3.	Provide a site map locating each monitoring well and associated WMU (Attachn	nent_B_)
Sec	ection B MONITOR WELL SYSTEM REVIEW	
1.	a. Have any monitor wells been installed or replaced?(i.) If YES, has a copy of the well installation diagram including lithologic logs for each new well been submitted to the TCEQ?	N/ANOX_YES N/AX_YESNO
	If not, copies of these are included as Attachment b. Have any monitor wells been designated as inactive since the last CME/O&I (still in place but not being used)? (i.) If YES, list. c. Have any monitor wells been removed/plugged? (i.) If YES, has the plugging report been submitted to the TCEQ?	M N/ANOX_YES N/ANOX_YES N/AX_YESNO
2.	 (ii.) If YES, list. Has the following been installed in the uppermost aquifer around each Waste Ma [335.163 / 264.97; 335.116(a) / 265.91] a. At least one hydraulically upgradient well? b. At least three hydraulically downgradient wells? 	nagement Area: YES X NO YES X NO YES X NO
3.	Indicate WMA(s) that are not compliant with Question #2:N/A	
4.	 Examine operator's records to make the following determinations: a. For units in interim status detection monitoring or permitted status detection compliance monitoring, does the operator evaluate the Ground-Water flow does in the uppermost aquifer on at least an annual basis to verify well placement [335.164(5) & .165(5) / 264.98(e) & .99(e); 335.112(a)(5) / 265.93(f)] b. For units in interim status assessment monitoring, does the operator determina a quarterly basis, the Groundwater flow direction in the uppermost aquifer for in determining the rate and direction of migration of hazardous constituents? [335.112(a)(5) / 265.93(d)(7)] c. Describe operator's actions to address apparent well location errors in response. 	Ilirection Yes, twice/year ? N/A YES X NO ne, on for use N/A X YES NO

TCEO Region 14	O Region 14
----------------	-------------

1 LQ Reg. No. 32164

Investigation Dates 02/16-17/05

**

40 CFR 265.93(f), 40 CFR 264.98(h), or 40 CFR 264.99(j) or permit or compliance plan provisions as applicable. N/A \underline{X}

RCRA GROUNDWATER MONITORING STATUS TABLE

			L						
Fac. NOR Name of Activity Monitoring Unit # Unit/WMA Status	Activity		Monitoring Status		Number of Ungradient Wells	Number of Downgradient		Monitoring Frequency	uency
						Wells	Starting Date	Sampling Interval	Date of most Recent Sampling Event
004 Old Landfill Inactive Active	Inactive		Active		1	9	1983	twice/year	09/21/04
027 New Landfill Active Active	Active		Active		3	6 + 1 extra	1986	twice/year 12/07/04	12/07/04
,		,		1 3					
				1					

Permit Fac. # = Unit No. as designated in the Permit (N/A if not applicable)

Fac. NOR # = Unit number as designated in the Notice of Registration (NOR)

Activity Status: A = Active, CL = Certified Closed, I = Inactive

Monitoring Status: ID = 265 Detection Monitoring, IQ = 265 Assessment Monitoring, IA 265 Alternate or Partial waiver, PDM = 264 Detection Monitoring, PCM = 264 Compliance Monitoring, PCA = 264 Corrective Action Monitoring.

Upgradient/Downgradient wells: Indicate the number of wells and also list the wells for each unit or Waste Management Area (WMA)/Corrective Action Management Area (CAMU), POC = Point of Compliance wells for permitted units.

Sampling Interval: Quarterly (QTR), Semi-Annual (SA), Annual (A), Monthly (M), etc.

>		

Section C-- SAMPLING PROCEDURES

Guidance Documents: SW-846; RCRA Ground-water Draft Technical Guidance.

1.	Sampling & Analysis Plan (SAP)[335 112(a)(5) / 265.92(a); 335.163(4) / 264.97(d) / or as per	77	VEC V	NO
	 Is a SAP maintained at the facility? Specify date of SAP evaluated during this INVESTIGATION: 07/18/01 	N/A	_YES <u>X</u> _	_NO
	b. Does the SAP address the following items:			
	(i.) Sample collection procedures?	N/A	YES X	9 XXX XX
	(ii.) Sample preservation & shipment? (iii.) Analytical procedures?	N/A N/A	YES X YES X	
	(iv.) Chain of Custody procedures?	N/A	YES X	35 (MARK)
	c. Is the Company following the requirements of the SAP?	N/A	YES X	
Sec	etion D INTERIM STATUS DETECTION MONITORING N/A_X	_		
Sec	etion E INTERIM STATUS ASSESSMENT MONITORING N/A_X	_		
Sec	tion F PERMITTED STATUS DETECTION MONITORING N/A	- .«		
Wa	ste Management Area(s) Old Land Fill (NOR 004) and New Landfill (NOR 027)			
1.	Has the facility submitted ground-water monitoring data to the TCEQ as specified in the permit? [335.163(10)]	N/A	YES X	_NO
2.	Are ground water surface elevations determined at each well for each sampling event? [335.163(6) / 264.97(f)]	N/A	YES <u>X</u>	_NO
3.	Is the facility monitoring for indicator parameters, waste constituents, or reaction products as specified in the permit for each monitoring well? [335.164(1) / 264.98(a)]	N/A	_YES <u>X</u>	_NO
4.	Are four replicate samples collected from each background and compliance well at least semi-annually? [335.164(4) / 264.98(d)]	N/A	_YES <u>X</u>	_NO
5.	Is the facility following the statistical method designated in the permit for determining whether statistically significant contamination exists? [335.164(6) / 264.98(f)(1)]	N/A	_YES_X	_NO
5.	If statistically significant evidence for contamination exists at any compliance point, did the facility: [335.164(7)(A),(B),&(C) / 264.98(g)(1),(2),&(3)]			
	a. Notify the TCEQ Executive Director in writing within 7 days? b. Immediately sample all monitor wells for the presence, and if so, the concentrations	N/A	_YES <u>X</u>	_NO
	of Part 264, Appendix IX constituents?	N/A	YES <u>X</u>	_NO
	c. Resample within one month and repeat analysis, if any Appendix IX constituents were found?	N/A	_YES <u>X</u>	_NO
7.	If presence of Appendix IX constituents was confirmed, did the facility submit an application for a permit modification to establish a compliance monitoring program within 90 days?	1		
	[335.164(7)(D) / 264.98(g)(4)]. No confirmation with MW-TW-7. BP is currently working with Permits in Austin.	N/AX	_YES	NO

TCEO	Region	14	
ICLU	ICCLION	17	

'1 ZQ Reg. No. 32164

Investigation Dates <u>02/16-17/05</u>

**


Section G-- PERMITTED STATUS COMPLIANCE MONITORING

N/A_X

Section I-- COMPLIANCE PLAN REVIEW

N/A_X__

Review Compliance Plan (if applicable) and provide comments.



BAKER BOTTS LLP

RECEIVED

April 4, 2005

APR 0 4 2005

BY HAND DELIVERY

WASTE PERMITS DIVISION TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Mr. Glenn Shankle Executive Director Texas Commission on Environmental Quality 12100 Park 35 Circle, Building F Austin, Texas 78753 1500 SAN JACINTO CENTER 98 SAN JACINTO BLVD. AUSTIN, TEXAS 78701-4287 512.322.2500 FAX 512.322.2501

AUSTIN
BAKU
DALLAS
HOUSTON
LONDON
MOSCOW
NEW YORK
RIYADH
WASHINGTON

Aileen M. Hooks 512.322.2616 FAX 512.322.8314 aileen.hooks@bakerbotts.com

Attn: Mr. Mark Stoebner, Financial Administration Division, MC-184

Re:

O&D USA LLC; Chocolate Bayou Works, Permit No. HW-50121; Green Lake Plant, Permit No. HW-50143 and UIC Well Permit Nos. WDW-163, WDW-164, and WDW-165/Financial Assurance Demonstration

Dear Mr. Stoebner:

This transmittal is to supplement our submission last Thursday, March 31, 2005, of documents demonstrating financial assurance for O&D USA LLC for the above-referenced hazardous waste permits for the Green Lake Plant and Chocolate Bayou Works and for the above-referenced permits for the UIC wells located at the Green Lake Plant. With last Thursday's submission we provided a copy of the standby trust agreement between JP Morgan Trust Company and O&D USA LLC for use with the surety bond for closure/post-closure care. Enclosed with today's transmittal is the original of that trust agreement. Together with the original surety bonds for closure/post-closure care and for liability that were submitted last Thursday, this completes the required financial assurance demonstration for O&D USA LLC for these facilities in connection with the transfer of the permits from BP Amoco Chemical Company to O&D USA LLC.

Please call me if you have questions about the financial assurance demonstration for these facilities. Thank you again for your assistance.

Sincerely,

Aileen M. Hooks


Enclosure

cc:

E. J. Biskup Ben Knape Wade Wheatley Roberta Lewis Rosemary Martinez

Juan Soto Dana Wood

AUS01:376743.2



June 27, 2005

RECEIVED AUG 3 0 2005

CERTIFIED MAIL NO. 70041160000705581036 RETURN RECEIPT REQUESTED

Ms. Janet Cornelissens

Texas Commission on Environmental Quality Registration, Review, and Reporting Division Registration and Reporting Section, MC 129 IHW and MSW Registration Team

P.O. Box 13087

Austin, Texas 78711-3087

Subject:

Change of Name Notification

Solid Waste Registration No. 32164 EPA RCRA ID TXD000751172

Innovene USA LLC, Green Lake Plant, CN602817884, RN100210038

Dear Ms. Janet Cornelissens:

Innovene USA LLC would like to notify the Texas Commission on Environmental Quality (TCEQ) that the name of the owner of the Green Lake Plant with Solid Waste Registration No. 32164 and EPA RCRA ID TXD000751172 changed from O&D USA LLC to Innovene USA LLC on June 1, 2005. Only the name of the company has changed from O&D USA LLC to Innovene USA LLC. The ownership and key operational factors including personnel responsible for the day-to-day activities will remain the same. Attached is a copy of the TCEQ Core Data form with Innovene USA LLC's information.

Thank you for your time and consideration in this matter. If you have any questions or comments, please call me at (361) 552-8642 or email me at booneva@bp.com.

Sincerely

HSSEQ Manager

Green Lake Plant


Attachments: TCEQ Core Data Form (TCEQ-10400)

Received

JUL 0 1 2005

Registration and Reporting Section

ADM (4)







October 25, 2005

Ms. Kimberly Sladek
Texas Commission on Environmental Quality
Attention: Permits Administrative Review Section, MC 161
Registration, Review & Reporting (RR&R) Division
P. O. Box 13087
Austin, Texas 78711-3087

Part B Permit Modification and Compliance Plan Application TCEQ Hazardous Waste Permit No. HW-50147 Innovene – Green Lake Plant Port Layaca, Texas

Dear Ms. Sladek:

In response to your telephone request for additional information regarding the referenced Compliance Plan Application, Innovene is submitting the attached revised Compliance Plan Application pages 2, 3 and 5 (signature page).

If you have any questions or require additional information, please contact Van A. Boone at (361) 552-8642. We appreciate your consideration of this matter.

Sincerely,

John Harvey III General Manager

Attachment: Original and 2 copies, TCEQ Compliance Plan Application pages 2, 3, and 5.

Agent in Service or Agent of Service who is a Texas resident.

C.T. Corporation System 1601 Elm Street, Suite 3700 Dallas, Texas 75201

4.

List the name of the individual who will be responsible for causing notice to be mailed and/or published in the newspaper and his/her mailing address, telephone number and fax number in the space provided below. If e-mail is available, please provide an e-mail address.

Van A. Boone, HSE Department, Innovene USA LLC (formerly BP Amoco Chemicals) Green Lake Plant	
P.O. Box 659 Port Lavaca, TX 77979	
(Name and mailing address)	
(361) 552-8642 -telephone (361) 552-8229 -fax van.boone@innovene.com -email	
(Telephone number, fax number and e-mail address)	
Facility Information	
Facility Name: Innovene USA LLC (formerly BP Amoco chemicals) Green Lake Plant	
Physical address: The site is located on a 2,300-acre tract of land in Calhoun County adjacer	nt to Highway 185
approximately four miles north of the intersection of Hwy. 185 and Hwy. 35 and approximately 15 miles we	<u>est</u>
of Port Lavaca, TX.	
City: Port Lavaca County: Calhoun	
Provide a brief written description of the portion of the facility covered by this application: The grou	ındwater monitorine
system at the closed old hazardous waste landfill - NOR unit No. 004.	mawater monitoring
by stem at the erosed our magnitudes when the state of th	
Identify the city and a major highway intersection closest to the facility: The site is located on a 2,300	-acre tract of land in
Calhoun County adjacent to Highway 185, approximately four miles north of the intersection of Hwy. 18	85 and Hwy. 35 and
approximately 15 miles west of Port Lavaca, TX.	
Provide a brief description of the type of business (e.g., chemical, manufacturing, petroleum) and the	
product(s) manufactured or produced by the facility. <u>Innovene USA LLC uses BPs proprietary</u> ,	fluid-bed propylene
ammoxidation process and high efficiency catalyst to produce acrylonitrile, acetonitrile, and acetone cyanoh	
The total acreage of the facility being permitted: 2,300 acres	
Geographical Latitude: North 28°32'32" Geographical Longitude: West 96°50'05"	
Geographical Eatitude. North 28 3232 Geographical Bongitude. West 70 30 03	
Identify the name of the drainage basin and segment where the facility is located: Drainage area of S	egment 1701 of the
Lavaca- Guadalupe Basin	
11. 1	
List Industrial Solid Waste (ISW) Registration Number(s) for the facility: 32164	
EPA I.D.No.: TXD 000751172	
Industrial and Hazardous Waste Permit No. (if not a new application): HW-50143-000	
Municipal Solid Waste Permit No. (if applicable): N/A	
Air Permit No(s). (if applicable): PSDTX76M7(active). CB0034B(active acct. number), 1284 (pending perm	it), New Air
Source Permits: 6289, 8533, 18046, 19985, 56687	
Wastewater Permit No(s), (if applicable): WO-02181	

5.	Is the facility located within the Coastal Management Program boundary? Yes. V. No. (Page i of the application instructions lists telephone numbers for inquiries or questions.)
5.	Application Type (Check the Appropriate Type)
	New Compliance Plan
	Compliance Plan Renewal
	Amendment (Check the Appropriate Amendment):
	MajorMinor
	Modification (Check the Appropriate Modification):
	Class 3Class 2Class 1Class 1
7.	When applying for a modification or amendment to a Compliance Plan, indicate in the table the following: the Section of the
	Compliance Plan being modified or amended; a brief description of the proposed change; the type of modification (e.g., Class
	1, 2 or 3) or amendment (Minor or Major Amendment); and the regulatory citation which supports the modification o
	amendment. The applicant should describe the exact change(s) to be made to the Compliance Plan conditions. Any
	proposed language may be submitted as an attachment to Part I of this application. N/A

Compliance Plan Section	Brief Description of Proposed Change	Modification or Amendment Type	Supporting Regulatory Citation
N/A	N/A	N/A	N/A

8. Adjacent Landowners List

Submit a map indicating the boundaries of all adjacent parcels of land, and a list (see samples in the instructions) of the names and mailing addresses of all adjacent landowners and other nearby landowners who might consider themselves affected by the activities described by this application. Cross-reference this list to the map through the use of appropriate keying techniques. The map should be a USGS map, a city or county plat, or another map, sketch, or drawing with a scale adequate enough to show the cross-referenced affected landowners. The list should be updated prior to any required public notice.

See Attached Figure I.8

Except for Class 1 or Class 1¹ modifications, please also submit this mailing list on a 3½-inch computer disc using software compatible with WordPerfect, as allowed by 30 TAC 39.5(b). If more convenient, four sets of printed labels of the list may be provided in lieu of a computer disc.

If the adjacent landowners list is submitted on computer disc, please label the disk with the applicant's name and permit number. Within the file stored on the disk, type the permit number and applicant's name on the top line before typing the addresses. Names and addresses must be typed in the format indicated below. This format is required by the U.S. Postal Service for machine readability. Each letter in the name and address must be capitalized, contain no punctuation, and the appropriate two-character abbreviation must be used for the state. Each entity listed must be blocked and spaced consecutively as shown below.

Example 1:

Example 2:

Permit No. HW-50000, Chemical Plant


Permit No. HW-50000, Chemical Plant

TERRY M JENKINS RR 1 BOX 34 WACO TX 76724 MR AND MRS EDWARD PEABODY 1405 MONTAGUE LN WACO TX 76710-1234

APPLICATION SIGNATURE PAGE

CERTIFICATION

I, John Harvey, III	Works General Manger	; and,
(Print or Type the Name of the Applicant's representative)	(Title)	
I,	(
(Print or Type the Name of the Owner's representative, if diff	Perent) (Title)	
certify under penalty of law that this document and all attack with a system designed to assure that qualified personnel prinquiry of the person or persons who manage the system, or information submitted is, to the best of my knowledge and penalties for submitting false information, including the possibility of the personnel penalties for submitting false information, including the possibility of the personnel penalties for submitting false information, including the possibility of the personnel penalties for submitting false information, including the possibility of the personnel penalties for submitting false information.	properly gather and evaluate the or those persons directly respons belief, true, accurate, and comp	information submitted. Based on my sible for gathering the information, the olete. I am aware there are significant
(Applicant)		
Signature: Date	<u></u>	
(Owner, if different than applicant)		
//////////////////////////////////////		
I, hereby designa	ite	
(Print or Type Name)	(Print or Type Name)	
as my agent and hereby authorize said agent to sign my a Commission, and/or appear for me at any hearing or before the Texas Solid Waste Disposal Act permit or compliance plan. I agent in support of the application, for compliance with the application.	e Commission in conjunction with further understand that I am resp	n this request for a Texas Water Code or consible for oral statements given by my
	(Type or Print Name)	
NOTE: APPLICATION MUST BEAR SIGNATURE AND SEAL SUBSCRIBED AND SWORN to before me by the said		//////////////////////////////////////
on this 25th day of (month) October	(year) 2005	1
My commission expires on the 28th day of (month) Feb, (year)	2009
ROSE PADRON Notary Public, State of Texas My Commission Expires FEB. 28, 2009	Notary Public in and for Calhou	County, Texas



1

Kathleen Hartnett White, *Chairman* R. B. "Ralph" Marquez, *Commissioner* Larry R. Soward, *Commissioner* Glenn Shankle, *Executive Director*



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Protecting Texas by Reducing and Preventing Pollution

March 9, 2006

RECEIVE

MAI

MAR 2 0 2006

TCEO
CENTRAL FILE ROOM

Mr. Van A. Boone HSSEQ Manager Innovene USA LLC. Green Lake Complex P.O. Box 659 Port Lavaca, TX 77979

7004 1350 0000 4763 5443 <u>CERTIFIED MAIL</u> RETURN RECEIPT REQUESTED

Re: Technical Notice of Deficiency

Class 3 Permit Modification and Compliance Plan Application

Innovene USA LLC., Green Lake Complex

Calhoun County, Texas

Industrial Solid Waste Registration No. 32164

Hazardous Waste Permit No. 50143 Proposed Compliance Plan No. 50143

EPA I.D. No. TXD000751172

WWC 11121755-2 and 11121315; RN 100210038 / CN 600126775

Dear Boone:

We have completed a technical review of your Class 3 Permit Modification and Compliance Plan Application dated September 30, 2006. Our review of the application indicates that additional information must be presented to demonstrate compliance with Title 30 Texas Administrative Code (TAC) Sections 305.45 and 305.50. In addition to other requirements, the above rules adopt by reference the requirements listed in Title 40 of the Code of Federal Regulations (CFR) Parts 264 and 270. The deficiencies noted below follow the format of Texas Commission on Environmental Quality (TCEQ) Part A Compliance Plan application forms.

- 1. Please provide the TCEQ with a legible 8.5 by 11" map which locate any and all hazardous waste management units (HWMUs) and on a separate 8.5 by 11" map locate any and all active or inactive solid waste management units (SWMUs). Also please list all the HWMUs and SWMUs in a table format for review.
- 2. Innovene should provide the TCEQ a RCRA Facility Assessment (RFA) which should have been completed for all SWMUs at the Innovene facility or its predecessor. Please list all the SWMUs the RFA were conducted in table format, along with the conclusions and recommendations for each SWMU. Innovene should conduct a survey/research to identify all their SWMUs if Innovene or its predecessor has not done so in the past. Innovene should also identify which SWMU has a high potential for a release and include this information with the list of all SWMUs.

Mr. Van Boone Page 2 March 9, 2006

- 3. 1ħnovene provided the TCEQ financial assurance calculations for one monitoring well at their HWMU for 8 years. Financial assurance should be calculated based upon hiring a third party to conduct post-closure care and/or corrective action at unit(s) to protect human health and the environment. Post-closure care may include a corrective action program for a time period of 30 years. Financial assurance cost should also include any and all SWMUs that would need an RCRA Facility Investigation (RFI) and be included in Innovene's Compliance plan.
- 4. Innovene states that it will conduct further site assessment of the Old Hazardous Waste Landfill (OHWL) and propose a corrective action program if necessary. Innovene should conduct a site assessment/characterization right now at the OHWL to determine the extent of the potential plume and to better understand the subsurface geologic and hydrogeologic conditions. This information should be used to propose a corrective action program to be implemented in their final Compliance Plan.

The information requested above is necessary for a complete permit application. Please submit an original and three (3) copies of your application revisions, including signature pages within 30 days of the date of this letter. Please note, we do not anticipate granting an extension of time to fulfill this request. Your response should be in a form that allows for the replacement of application pages with the revised pages. Each page should contain a revision date and revision number as well.

Failure to submit a satisfactory response to each of the noted deficiencies by the response due date will result in a recommendation to return the application or deny the compliance plan and may result in a referral to the Enforcement Division. Please be aware that the current practice of this section is to not issue a third technical notice of deficiency.

If you have any questions regarding this matter, please contact Ms. Cynthia Palomares at 512/239-6079. If you will be responding by letter, please include mail code MC 130 in the mailing address.

Sincerely,

Cynthia Palomares, P.G., Project Manager

Cynthia Palomares

Industrial and Hazardous Waste Permits Section

Waste Permits Division

Texas Commission on Environmental Quality

CP/fp

